

Draft for USEPA and MDNRE Review

Mr. Samuel Borries USEPA Region 5 77 West Jackson Boulevard (SE-5J) Chicago, IL 60604-3507

Subject:

Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Time-Critical Removal Action – Former Plainwell Impoundment Discontinuation of Groundwater Monitoring Program

Dear Mr. Borries:

Four quarters of groundwater data are now available for the former Plainwell Impoundment. The analytical results from the most recent round of sampling – conducted in December 2009 – were all non-detect for polychlorinated biphenyls (PCBs).

As described in our December 9, 2009 letter titled Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Time-Critical Removal Action – Former Plainwell Impoundment 2009 Q1-3 Groundwater Sampling Results (Garbaciak 2009), now that four quarters of PCB groundwater data are available – a total of 82 samples, all of which were non-detect for PCBs – ARCADIS is requesting United States Environmental Protection Agency (USEPA) approval to discontinue groundwater sampling in the former Plainwell Impoundment and permanently abandon all 15 monitoring wells according to applicable standards of the Michigan Department of Natural Resources and Environment (MDNRE). Information to support USEPA's consideration of this request – including details of the installation, approach, and results available from the first three quarters of sampling – are described in the December 9, 2009 letter (Garbaciak 2009), and the results of the fourth sampling event are summarized below.

### Background

Georgia-Pacific LLC installed a network of 15 groundwater monitoring wells and five staff gauges in the former Plainwell Impoundment in accordance with the approved Former Plainwell Impoundment Time-Critical Removal Action Design Report (TCRA Design Report; ARCADIS BBL 2007a) and the Supplemental Remedial Investigation/Feasibility Study Work Plan – Morrow Dam to Plainwell Dam (Area 1 SRI/FS Work Plan; ARCADIS BBL 2007b). Quarterly monitoring and sampling events were carried out in April, June, September, and December 2009. A description of the installation of the well network and staff gauges, the goals of the groundwater investigation, the monitoring approach, and the first three quarters

ARCADIS
30 West Monroe
Suite 1710
Chicago
Illinois 60603
Tel 312.332.4937
Fax 312.332.4434
www.arcadis-us.com

Date:

January 25, 2010

Contact:

Steve Garbaciak

Phone:

312.332.4937 x12

Email:

Steve.Garbaciak@ arcadis-us.com

Our ref:

B0064539.0000.00500

Mr. Samual Borries January 25, 2010

### **ARCADIS**

Draft for USEPA and MDNRE Review

monitoring and sampling data were included in the December 9, 2009 letter (Garbaciak 2009). Results from the fourth quarter sampling event are described below.

### **December 2009 Sampling Results**

Prior to the sampling event, groundwater and surface water elevations were monitored for a period of two weeks to verify the direction of water flow. The data confirmed flow was toward the river. Data from the December 2009 sampling event are tabulated in Tables 1 and 2.

Groundwater and surface water samples were collected during the week of December 14, 2009. Groundwater samples were collected using ultra-low flow sampling techniques. Surface water samples were collected from the river near Staff Gauge 5 (SG-5, see Figure 1) on the first day and last day of groundwater sampling activities. Sampling logs are included in Attachment 1.

ARCADIS collected a total of 15 groundwater samples (excluding duplicate samples) during the December 2009 sampling event. All samples were submitted to Test America Labs in Burlington, Vermont for the following analyses (sample analytical methods to be consistent with the *Multi-Area Quality Assurance Project Plan for the Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site, Revision 1* [Multi-Area QAPP, ARCADIS 2009]):

- Total PCBs by Aroclor
- Total Organic Carbon
- Total Dissolved Solids and Total Suspended Solids
- Chloride, Sulfate, Alkalinity, Sodium, Potassium, Magnesium, and Calcium

Consistent with the Multi-Area QAPP, one blind duplicate sample was collected for every 10 samples of each sample matrix for all analytical parameters, and one matrix spike/matrix spike duplicate sample was collected for every 20 samples analyzed for PCBs.

The Michigan Department of Environmental Quality (MDEQ, now part of the Michigan Department of Natural Resources and Environment [MDNRE]) also collected seven split samples – these samples were submitted to Northeast Analytical Labs in Detroit, Michigan for PCB analysis. MDEQ samples were not analyzed for inorganic constituents. MDEQ's laboratory-validated split sample PCB results were sent to ARCADIS on January 19, 2010 (Santini 2010).

Mr. Samual Borries January 25, 2010

### **ARCADIS**

Draft for USEPA and MDNRE Review

PCBs were not detected in any of the December 2009 groundwater samples collected by ARCADIS or MDEQ at quantitation limits ranging from 0.025 micrograms per liter ( $\mu$ g/L) for Northeast Analytical Labs to 0.047 to 0.051  $\mu$ g/L for Test America Labs.

PCB analytical results for all samples (including MDEQ's split samples) collected during the December 2009 sampling event are summarized in Table 3, and analytical results for inorganic constituents are summarized in Table 4. Full validation packages for the samples collected by ARCADIS are included in Attachment 2, and copies of analytical reports for MDEQ samples are included in Attachment 3.

### Request to Discontinue Sampling

As described in the TCRA Design Report and Area 1 SRI/FS Work Plan, the groundwater monitoring program was designed to include eight quarterly sampling events over a two-year period.

Four of the quarterly sampling events are now complete. We believe these results indicate that PCBs are not present in groundwater, and that it is reasonable to conclude that PCBs are not of concern in groundwater in the former Plainwell Impoundment. Pursuant to Section 27 Paragraph 75 of the Administrative Settlement Agreement and Order on Consent for Removal Action, we formally request USEPA approval to discontinue groundwater sampling at all wells in the former Plainwell Impoundment and permanently abandon the monitoring wells according to applicable State of Michigan standards. Please contact Doug Cowin (312.332.4937 x 11) or me if you would like to discuss this issue further.

Sincerely,

**ARCADIS** 

Stephen Garbaciak Jr., P.E. Vice President

**Enclosures** 

Draft for USEPA and MDNRE Review

Mr. Samual Borries January 25, 2010

Copies:

James Saric, USEPA
Paul T. Bucholtz, MDNRE
Sharon Hanshue, MDNRE
Jeff Keiser, CH2M Hill
J. Michael Davis, Esq., Georgia-Pacific LLC
Garry Griffith, P.E., Georgia-Pacific LLC
Mark P. Brown, Ph.D., Waterviews LLC
Michael J. Erickson, P.E., ARCADIS
Douglas K. Cowin, P.G., ARCADIS
Martin Lebo, Weyerhaeuser Company
Richard Gay, Weyerhaeuser Company
Kathy Huibregtse, RMT Inc.

Mr. Samual Borries January 25, 2010

### **Tables**

- Table 1 December 2009 Groundwater and Surface Water Readings
- Table 2 December 2009 Groundwater and Surface Water Elevations
- Table 3 Summary of PCB Samples Collected and Data Received for December 2009 Sampling Event
- Table 4 Summary of Inorganic Samples Collected and Data Received for December 2009 Sampling Event

### **Figure**

Figure 1 - Groundwater Monitoring Well Location Map

### Attachments (electronic only - included on attached CD)

Attachment 1 - December 2009 Groundwater and Surface Water Sampling Logs

Attachment 2 - December 2009 Validation Packages

Attachment 3 - December 2009 Analytical Reports for MDEQ Split Samples

### References

- ARCADIS BBL. 2007a. Former Plainwell Impoundment Time-Critical Removal Action Design Report. February 2007.
- ARCADIS BBL. 2007b. Supplemental Remedial Investigation/Feasibility Study Work Plan Morrow Dam to Plainwell (Area 1 SRI/FS Work Plan). February 2007.
- ARCADIS. 2009. Multi-Area Quality Assurance Project Plan for the Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site, Revision 1. November 2009.
- Garbaciak, S, 2009. Letter from Stephen Garbaciak Jr., P.E. (ARCADIS) to Samuel Borries (USEPA), Paul Bucholtz (MDEQ), and Sharon Hanshue (MDNR) re: Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Time-Critical Removal Action Former Plainwell Impoundment 2009 Q1-3 Groundwater Sampling Results. December 9, 2009.
- Santini, A. 2010. Electronic transmittal of Plainwell TCRA oversight PCB analytical results for groundwater samples collected in December 2009 from Drew Santini, Camp Dresser McKee to Doug Cowin, ARCADIS. January 19, 2010.

Tables

## Georgia-Pacific LLC Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Former Plainwell Impoundment TCRA Quarterly Post-Construction Groundwater Monitoring - Quarter 4

Table 1 - December 2009 Groundwater and Surface Water Readings

Logation	e Goord	nicos 1	Reference	Staff Gage Water Elevations Monitoring Well Depth to Water										
RECCALION	Northing	Ensting	Elevenion <sup>(Re)</sup>	1201.09	12.03.09	12:07:09	120303							
Staff Gages														
SG-1	350394.4	12775769.3		707.03	707.10	707.15	707.24							
SG-2	350979.9	12772024.3		700.15	700.22	700.27	700.34							
SG-3	350360.5	12772101.6		•	-	-	-							
SG-4	350988.8	12772385.0	-	700.50	700.55	700.58	700.62							
SG-5	350076.1	12773475.4	-	702.08	702.15	702.17	702.20							
	Monitoring Wells													
MVV-1	350961.38	12772432.61	708.92	8.12	8.12	8.10	8.05							
MW-2	350711.55	12772517,19	712.32	11,33	11.32	11,31	11.26							
MW-3	350339.20	12772701.62	711.66	1 10.21	10.20	10.19	10.14							
MW-4	350154.43	12773098.22	713.54	11.61	11.61	11.59	11.54							
MW-5	350154.29	12773466.74	713,69	11,42	11,40	11,39	11.35							
MW-6	350846.49	12772491.10	712.07	11.21	11.20	11.19	11.19							
MW-7	350555,17	12772534.59	712.85	11.65	11,65	11.63	11,59							
8-WM	350171.40	12772825.18	711.85	10.27	10.26	10.25	10.20							
MW-9	350900.48	12773169.10	717.09	15,11	15,11	15.09	15.08							
MW-10	350302,97	12774069,99	712.72	8.96	. 8.95	8.95	8.85							
MW-11	350789.24	12774553.73	712.38	7.98	7.97	7.96	7.90							
MW-12	350726.89	12775210,90	715.35	9.75	9.74	9.74	9.60							
MW-13	350420.23	12774429.71	714.36	9.71	9.70	9.71	9.63							
MW-14	350664.31	12774948.40	712.45	7.43	7.43	7.43	7.35							
MW-15	350412.99	12774893,18	713,83	8.55	8.54	8.55	8.45							

### Notes:

<sup>&</sup>lt;sup>1</sup> Coordinates are based on the North American Datum of 1983, Michigan South Zone.

<sup>&</sup>lt;sup>2</sup> Water elevations at staff gages are based on the National Geodetic Vertical Datum of 1929.

<sup>&</sup>lt;sup>3</sup> Monitoring well depth to groundwater measured in feet. Elevation of the top of the well's inner casing was used as reference.

# Georgia-Pacific LLC Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Former Plainwell Impoundment TCRA Quarterly Post-Construction Groundwater Monitoring - Quarter 4

Table 2 - December 2009 Groundwater and Surface Water Elevations

Location		Water Level E	levation / Date		
Location	12.01.09	12.03.09	12.07.09	12,09,09	
	Sta	aff Gages			
SG-1	707.03	707.10	707.15	707.24	
SG-2	700,15	700.22	700.27	700.34	
SG-3	-	-	-	-	
SG-4	700.50	700.55	700.58	700.62	
SG-5	702.08	702.15	702.17	702.20	
	Monit	toring Wells			
MW-1	700.80	700.80	700.82	700.87	
MW-2	700.99	701.00	701.01	701.06	
MW-3	701.45	701.46	701.47	701.52	
MW-4	701.93	701.93	701.95	702.00	
MW-5	702,27	702.29	702.30	702.34	
MW-6	700.86	700.87	700.88	700.88	
MW-7	701.20	701.20	701.22	701.26	
MW-8	701.58	701.59	701.60	701.65	
MW-9	701.98	701.98	702.00	702.01	
MW-10	703.76	703.77	703.77	703.87	
MVV-11	704.40	704.41	704.42	704.48	
MW-12	705,60	705,61	705.61	705.75	
MVV-13	704.65	704.66	704.65	704.73	
MW-14	705.02	705.02	705,02	705.10	
MW-15	705,28	705.29	705.28	705.38	
ndwater - Surface Water G	radients (ft/ft) (positive	gradient indicates gr	roundwater flow to riv	ver)	
MW-5 - SG-5	0.19	0.14	0.13	0.14	
MW-1 - SG-4	0.30	0.25	0.24	0.25	

Notes:

<sup>1</sup> Staff gauge SG-3 was not read during the December 2009 sampling event because ARCADIS did not have access to the private property where SG-3 is located.

### Georgia-Pacific LLC Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Former Plainwell Impoundment TCRA Quarterly Post-Construction Groundwater Monitoring - Quarter 4

Table 3 — Summary of PCB Samples Collected and Data Received for December 2009 Sampling Event

Sample Location			Parameter, Unit, and Concentration												
	Date	Sample ID	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Araclor-1254	Aroclor-1260	Total PCB					
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L					
				Groundwater Su	rface Water Interfa	ce Criteria & RBSL	Laure Barrier								
			NA	NA	NA	NA	NA	NA	NA	0.2					
					Groundwater Sami	ples <sup>2</sup>									
10000	12/18/2009	TS40066	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
MVV-1	12/18/2009	PGW-MW1-01 <sup>3</sup>	0.025 U	0.025 U	0.025 U	0 025 U	0.025 U	0.025 U	0.025 U	0.025 U					
MW-2	12/17/2009	TS40064	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
MW-3	12/17/2009	TS40060 [TS40061]4	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U					
MVV-3	12/17/2009	PGW-MW20-01	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U					
MW-4	12/16/2009	TS40058	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
MW-5	12/16/2009	TS40057	0.047 U	0,047 U	0.047 U	0.047 UJ	0.047 U	0.047 UJ	0.047 U	0,047 U					
MW-6	12/17/2009	TS40065	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
	12/17/2009	PGW-MW6-01	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U					
MVV-7	12/17/2009	TS40062 [TS40063]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 U]	0.048 U [0.047 L					
MVV-8	12/16/2009	TS40059	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
MW-9	12/18/2009	TS40067	0.051 U	0.051 U	0,051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U					
	12/16/2009	TS40056	0.047 U	0,047 U	0,047 U	0,047 U	0,047 U	0.047 U	0.047 U	0,047 U					
MVV-10	12/16/2009	PGW-MW10-01	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U					
	12/16/2009	PGW-MW10-02	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U					
MW-11	12/15/2009	TS40053	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
AMALIC	12/14/2009	TS40051	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U					
MW-12	12/14/2009	PGW-MW12-01	0.0255 U	0.0255 U	0.0255 U	0.0255 U	0.0255 U	0.0255 U	0.0255 U	0.0255 U					
MW-13	12/15/2009	TS40054	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U					
MW-14	12/14/2009	TS40052	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U	0.049 U					
MW-15	12/15/2009	TS40055	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U					
	No.				Surface Water Sam	ples <sup>2</sup>		NO. POPUL							
SG-5	12/14/2009	TS31009 [TS31010]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 U]	0.048 U [0.048 L					
36-5	12/18/2009	TS31011	0.049 U	0.049 U	0.049 U	0,049 U	0.049 U	0.049 U	0.049 U	0.049 U					

- <sup>1</sup> Analytical results compared to applicable Part 201 generic Groundwater-Surface Water Interface criteria and Part 213 RBSLs provided in MDEQ's RRD Operational Memorandum No. 1 (Table 1, Column #3).
- <sup>2</sup> Samples collected by ARCADIS analyzed by Test America Laboratory.
  <sup>3</sup> MDEQ split samples shown in italics. Samples analyzed by NEA
- <sup>4</sup> Duplicate samples are shown in brackets.

MDEQ collected a trip blank (PGW-MW20-01) that was analyzed by NEA. This was not a split sample; therefore, it does not appear in the table above. Analytical results for this trip blank are reported in the analytical package associated with MDEQ's samples, included as Attachment 3.

- J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
- U Compound analyzed but not detected at a concentration above the reporting limit.

MDEQ - Michigan Department of Environmental Quality

MW - Monitoring Well

NEA - Northeastern Analytical Labs PCB - Polychlorinated Biphenyl

RBSL - Risk Based Screening Level

RRD - Remediation Redevelopment Division

SG - Staff Gauge

μg/L - microgram per liter


# Georgia-Pacific LLC Allied Paper, Inc./Portage Cresk/Kalamazoo River Superfund Site Former Plainwell Impoundment TCRA Quarterly Post-Construction Groundwater Monitoring - Quarter 4 Table 4 — Summary of Inorganic Samples Collected and Data Received in December 2009

900	2.52		MW-15	MW-14	MW-13	MW-12	MW-11	MW-10	MW-9	MW-8	MW-7	MW-6	MW-5	MW-4	MW-3	MW-2	MW-1		Sample Location			
12/18/2009	12/14/2009		12/15/2009	12/14/2009	12/15/2009	12/14/2009	12/15/2009	12/16/2009	12/18/2009	12/16/2009	12/17/2009	12/17/2009	12/16/2009	12/16/2009	12/17/2009	12/17/2009	12/18/2009		Date			
TS31011	12/14/2009 [TS31010]		TS40055	TS40052	TS40054	TS40051	TS40053	TS40056	TS40067	TS40059	TS40062 [TS40063]	TS40065	TS40057	TS40058	12/17/2009 TS40060 [TS40061] <sup>2</sup> 136,000 [134,000]	TS40064	TS40066		Sample ID			
86,600	90,100 [87,000]		91,300	154,000	108,000	225,000	106,000	221,000	83,400	108,000	135,000 [142,000]	118,000	197,000	170,000	136,000 [134,000]	153,000	348,000		1/6rl	Calcium		
24,400	25,600 [24,800]		23,200	36,000	25,700	48,900	25,000	26,900	21,900	27,300	29,600 [31,200]	24,400	44,400	40,800	31,700 [31,300]	30,200	121,000		НВЛ	Magnesium		
2,130 B	2,240 B [2,220 B]	Surface	2,430 B	892 B	1,760 B	6,650	1,840 B	1,300 B	1,830 B	1,810 B	1,590 B [1,670 B]	1,530 B	3,310 B	2,080 B	1,930 B [1.980 B]	1,770 B	5,050	Ground	hg/L	Potassium		
35,000	40,000 [38,500]	Surface Water Samples'	62,500	41,800	75,800	15,700	48,700	45,900	72,500	93,200	72,800 [76,900]	72,600	66,300	82,900	72,600 [71,700]	72,200	48,800	Groundwater Samples <sup>1</sup>	1/6н	Sodium	Paramete	
230	230 [230]		280	240	280	450	260	400	260	270	300 [300]	270	390	320	330 [320]	330	320		mg/L	Alkalinity	r, Unit, and	
61	58 [69]		63	60	110	14	64	71	94	160	140 [140]	130	88	130	120 [130]	140	51		mg/L	Chloride	Parameter, Unit, and Concentration	
36 J	29 [34]		42	460	25	190	55	180	38	56	96 [97]	75	200	230	81 [89]	120	910		mg/L	Sulfate	n	
402	411 [399]		421	691	447	872	479	856	458	630	697 [691]	577	884	883	678 [686]	708	1,870		mg/L	Total Dissolved Solids		
5.4	4.5 [4.6]		1.4	2.6	2.4	31.3	2.5	16.8	2.2	1.6	3.8[4]	3,9	6.9	4	3.6 [3.8]	4.9	9.1		mg/L	Total Organic Carbon		
5	5,5 [5]		8.2	17.8	15.2	0.7	13.6	14.5	4.3	8,9	14.8 [14.9]	16,1	15.7	16.8	12.9 [13.9]	21.5	34.2		mg/L	Total Suspended Solids		

MW - Monitoring well SG - Staff Gauge mg/L - milligram per liter µg/L - microgram per liter

Notes:
All samples analyzed by Test America Laboratory.
All samples are shown in brackets.
Duplicate samples are shown in brackets.
B. Indicates an estimated value between the instrument detection limit and the Reporting Limit (RL).
J- The compound was positively identified, however, the associated numerical value is an estimated concentration only.

Figure



Attachments (electronic only included on attached CD)

Attachment 1: December 2009 Groundwater and Surface Water Sampling Logs

Attachment 2: December 2009 Validation Packages

Attachment 3: December 2009 Analytical Reports for MDEQ Split Samples